

Author Index to Volume 32

- ABDEL GADIR, A., KHATIM, M.S., MOWAFI, R.S., ALNASER, H.M.I., ALZAID, H.G.N. & SHAW, R.W. Hormonal changes in patients with polycystic ovarian disease after ovarian electrocautery or pituitary desensitization, 749
- ADAMS, J. see Hague, W.M.
- AF EKENSTAM, E., BENSON, L., HÄLLGREN, R., WIDE, L. & LJUNGHALL, S. Impaired secretion of parathyroid hormone in patients with rheumatoid arthritis: relationship to inflammatory activity, 323
- ALAGHBAND-ZADEH, J. see Eden, J.A.
- ALGAR, V. see Hague, W.M.
- ALNASER, H.M.I. see Abdel Gadir, A.
- ALZAID, H.G. see Abdel Gadir, A.
- ANDERSEN, A.N. see Boesgaard, S.
- ANDERSON, D.C. see Cantrill, J.C.
- ANDREOLI, M. see Farsetti, A.
- ANG, V.T.Y. see Page, S.R.
- ANTONZOZZI, I. see Farsetti, A.
- ARGENIO, G.F. see Bernini, G.P.
- ARTINI, P. see Barreca, A.
- ATKINSON, A.B. see Whitehead, H.M.
- AYUB, M. & LEVELL, M.J. Suppression of plasma androgens by the antiandrogen flutamide in prostatic cancer patients treated with Zoladex, a GnRH analogue, 329
- BARAGHINI, G.F. see Genazzani, A.D.
- BARRECA, A., MINUTO, F., VOLPE, A., CECHELLI, E., CELLA, F., DEL MONTE, P., ARTINI, P. & GIORDANO, G. Insulin-like growth factor-I (IGF-I) and IGF-I binding protein in the follicular fluids of growth hormone treated patients, 497
- BARRETT, P. see McLaughlin, B.
- BAYLIS, L.M. see Burrell, L.M.
- BEACOM, D.R. see Whitehead, H.M.
- BEARDWELL, C.G.B. see Littley, M.D.
- BEASTALL, G.H. see Logue, F.C.
- BEASTALL, G.H. see McLellan, A.R.
- BELLONE, J. see Ghijo, E.
- BENN, J.J., FIRTH, R.G.R. & SÖNKSEN, P.H. Metabolic effects of an insulin-like factor causing hypoglycaemia in a patient with a haemangiopericytoma, 769
- BENSON, L. see af Ekenstam, E.
- BERNINI, G.P., ARGENIO, G.F., VIVALDI, M.S., DEL CORSO, C., BIRINDELLI, R., LUISI, M. & FRANCHI, F. Impaired growth hormone response to insulin-induced hypoglycaemia in obese patients: restoration blocked by ritanserin after fenfluramine administration, 453
- BESSER, G.M. see Harris, P.E.
- BESSER, G.M. see McArthur, J.W.
- BIDWELL, E.A. see Ratanachaiyavong, S.
- BIRINDELLI, R. see Bernini, G.P.
- BLACK, W.P. see Fleming, R.
- BLOM, J.H.M. see Kwekkeboom, D.J.
- BLOOM, S.R. see Natori, S.
- BLOOM, S.R. see Nicholls, J.
- BOESGAARD, S., HAGEN, C., HANGAARD, J., ANDERSEN, A.N. & ELDRUP, E. Effect of dopamine D-1 receptor agonist on pulsatile thyrotrophin secretion in normal women, 423
- BOGERS, J.W. see Fauser, B.C.J.M.
- BOT, A. see Van der Werff ten Bosch, J.J.
- BOTTAZZO, G.-F. see Hague, W.M.
- BOULOUX, P.M.G. see Harris, P.E.
- BOYLE, I.T. see Logue, F.C.
- BRAIN, C.E., HINDMARSH, P.C. & BROOK, C.G.D. Continuous subcutaneous GHRH₍₁₋₂₉₎ NH₂ promotes growth over 1 year in short, slowly growing children, 153
- BRAIN, C.E. see Hindmarsh, P.C.
- BRAY, C.S. see Kiddy, D.S.
- BREMNER, W.J. see McLachlan, R.I.
- BROCKS, A. see Schweiger, U.
- BROOK, C.G.D. see Hindmarsh, P.C.
- BROOK, C.G.D. see Brain, C.E.
- BROWNELL, J. see Homburg, R.
- BRUNANI, A. see Invitti, C.
- BRUNNER, J.F. see Brunner, J.E.
- BRUNNER, J.E., JOHNSON, C.C., ZAFAR, S., PETERSON, E.L., BRUNNER, J.F. & MELLINGER, R.C. Colon cancer and polyps in acromegaly: increased risk associated with family history of colon cancer, 65
- BUCHANAN, L. see Small, M.
- BUCHINGER, W. see Eber, O.
- BURRELL, L.M. & BAYLIS, P.M. Release of atrial natriuretic peptide during hypertonic saline infusion: the importance of posture, 491
- BURROWS, R. see Malozowski, S.
- BUTLAND, B.K. see Phillips, D.I.W.
- BUTT, W.R. see Obhrai, M.
- CALLAN, A. see Montalto, J.
- CAMERON, D.A. see Logue, F.C.
- CAMMANI, F. see Ciccarelli, E.

- CAMMANI, F. see Ghigo, E.
 CANTRILL, J.A. & ANDERSON, D.C. Treatment of Paget's disease of bone, 507
 CARTER, G.D. see Eden, J.A.
 CASSORLA, F. see Malozowski, S.
 CAVAGNINI, F. see Invitti, C.
 CECCHELLI, E. see Barreca, A.
 CELLA, F. see Barreca, A.
 CHANG, D.C.S., WOODCOCK, J.P., SHEDDEN, E.J., LAZARUS, J.H., WHEELER, M.H. & MCGREGOR, A.M. Normalization of thyroid blood flow in Graves' hyperthyroidism following radioactive iodine therapy, 599
 CHANG, T.C., HUANG, K.M., CHANG, T.J. & LIN, S.L. Correlation of orbital computed tomography and antibodies in patients with hyperthyroid Graves' disease, 551
 CHANG, T.J. see Chang, T.C.
 CHEA, J.-S. see Lee, K.-O.
 CHROUSOS, G. see Malozowski, S.
 CHUA, D.Y.F. see Lee, K.-O.
 CICCARELLI, E., GHIGO, E., MIOLA, C., GANDINI, G., MULLER, E.E. & CAMMANI, F. Long-term follow-up of 'cured' prolactinoma patients after successful adenectomy, 583
 CLARK, P.M.S. see Temple, R.C.
 COHEN, N.L. see McLachlan, R.I.
 CONAGHAN, C. see Fleming, R.
 CONNELL, J.M.C. see McLellan, A.R.
 CONNELL, J.M.C. see O'Connell, J.E.
 CONNELLY, J.F. see Montalto, J.
 COOK, D. see White, M.C.
 COOKE, R.R., MCINTOSH, R.P., MCINTOSH, J.G.A. & DELAHUNT, J.W. Serum forms of testosterone in men after an hCG stimulation: relative increase in non-protein bound forms, 165
 COOMBS, R.C. see Dowsett, M.
 CORDINER, J. see McLellan, A.R.
 COSTE, M. see Weaver, J.U.
 COUTTS, J.R.T. see Fleming, R.
 CRAMER, D. see McArthur, J.W.
 DAHL, K.D. see McLachlan, R.I.
 DANIELS, M. see White, M.C.
 DARKE, C. see Othman, S.
 DARKE, C. see Ratanachaiyavong, S.
 DAVIDSON, G. see O'Connell, J.E.
 DAVIDSON, K. see Foot, A.B.M.
 DAVIES, D.L. see McLellan, A.R.
 DAVIES, H.E. see Montalto, J.
 DEAN, J.C.S., JOHNSTON, A.W. & KLOPPER, A.I. Isolated hypogonadotropic hypogonadism: a family with autosomal dominant inheritance, 341
 DE ANTUENO, R.J. see Morano, M.I.
 DE JONG, F.H. see Fauser, B.C.J.M.
 DE JONG, F.H. see Kwekkeboom, D.J.
 DELAHUNT, J.W. see Cooke, R.R.
 DEL CORSO, C. see Bernini, G.P.
 DEL MONTE, P. see Barreca, A.
 DE MARTIN, M. see Invitti, C.
 DENG, J.Y. see Shi, Y.F.
 DE SANCTIS, C. see Ghigo, E.
 DEVLIN, J.G. see McLaughlin, B.
 DEWAR, J. see White, M.C.
 DIEGUEZ, C. see Valcavi, R.
 DI SILVIO, L. see Hindmarsh, P.C.
 DOMIN, J. see Nicholls, J.
 DOMINICZAK, A.F. see O'Connell, J.E.
 DONALD, R.A. see Ellis, M.J.
 DONALD, R.A. see Schmidli, R.S.
 DOREY, F., STRAUCH, G. & GAYNO, J.P. Thyrotoxicosis due to pituitary resistance to thyroid hormones. Successful control with D-thyroxine: a study in three patients, 221
 DOWSETT, M., STEIN, R.C., MEHTA, A. & COOMBS, R.C. Potency and selectivity of the non-steroidal aromatase inhibitor CGS 16949A in postmenopausal breast cancer patients, 623
 DREXHAGE, H.A. see Stokvis-Brantsma, W.H.
 DRUMMOND, V. see Hague, W.M.
 DUNGER, D.B. see Foot, A.B.M.
 DUNGER, D.B. see Taylor, A.M.
 EBER, O., BUCHINGER, W., LINDNER, W., LIND, P., RATH, M., KLIMA, G., LANGSTEGGER, W. & KÖLTRINGER, P. The effect of D- versus L-propranolol in the treatment of hyperthyroidism, 363
 EDEN, J.A., JONES, J., CARTER, G.D. & ALAGHBAND-ZADEH, J. Follicular fluid concentrations of insulin-like growth factor I, epidermal growth factor, transforming growth factor-alpha and sex-steroids in volume matched normal and polycystic human follicles, 395
 EDGE, J.A. see Foot, A.B.M.
 ELDRUP, E. see Boesgaard, S.
 ELLIS, M.J., SCHMIDLI, R.S., DONALD, R.A., LIVESEY, J.H. & ESPINER, E.A. Plasma corticotrophin-releasing factor and vasopressin responses to hypoglycaemia in normal man, 93
 ESPINER, E.A. see Ellis, M.J.
 ESPINER, E.A. see Schmidli, R.S.
 ESTIVARIZ, F.E. see Morano, M.I.
 EVANS, R. see Small, M.
 FARSETTI, A., PONTECORVI, A., ANTONOZZI, I., ANDREOLI, M. & GAETANO, C. Cytofluorometric analysis of lymphocyte subsets in thyroid aspirates from patients with autonomously functioning nodule, 729

- FAUSER, B.C.J.M., BOGERS, J.W., HOP, W.C.J. & DE JONG, F.H. Bioactive and immunoreactive FSH in serum of normal and oligospermic men, 433
- FINCH, T. see McLaughlin, B.
- FIRTH, R.G.R. see Benn, J.J.
- FLEMING, R., HAMILTON, M.P.R., CONAGHAN, C., BLACK, W.P. & COUTTS, J.R.T. Ovarian sensitivity to gonadotrophins in patients with PCO is unaffected by suppression of LH, 33
- FOOT, A.B.M., DAVIDSON, K., EDGE, J.A., WASS, J.A.H. & DUNGER, D.B. The growth hormone releasing hormone (GHRH) response to a mixed meal is blunted in young adults with insulin-dependent diabetes mellitus whereas the somatostatin response is normal, 177
- FORTI, G. see Genazzani, A.D.
- FRANCHI, F. see Bernini, G.P.
- FRANKS, S. see Kiddy, D.S.
- FRASER, W.D. see Logue, F.C.
- FUKAZAWA, H., SAKURADA, T., YOSHIDA, K., KAISE, N., NOMURA, T., YAMAMOTO, M., SAITO, S., TAKASE, S. & YOSHINAGA, K. Thyroid function in patients with myotonic dystrophy, 485
- FUNDER, J.W. see Montalto, J.
- FUNG, H. see Othman, S.
- GANDINI, G. see Ciccarelli, E.
- GALLACHER, S.J. see Logue, F.C.
- GALLIGAN, J.P. see Mortimer, R.H.
- GAYNO, J.P. see Dorey, F.
- GAETANO, C. see Farsetti, A.
- GENAZZANI, A.D., ROXBARD, D., FORTI, G., PETRAGLIA, F., BARAGHINI, G.F. & GENAZZANI, A.R. Estimation of instantaneous secretory rate of luteinizing hormone in women during the menstrual cycle and in men, 573
- GENAZZANI, A.R. see Genazzani, A.D.
- GHIGO, E., BELLONE, J., MAZZA, E., IMPERIALE, E., PROCOPIO, M., VALENTE, F., LALA, R., DE SANTIS, C. & CAMANNI, F. Arginine potentiates the GHRH- but not the pyridostigmine-induced GH secretion in normal short children. Further evidence for a somatostatin suppressing effect of arginine, 763
- GHIGO, E. see Ciccarelli, E.
- GILBERT, I. see McArthur, J.W.
- GIORDANO, G. see Barreca, A.
- GOSHI, K. see Kasagi, K.
- GRAY, C.E. see Hague, W.M.
- GUNN, C.A. see Ratanachaiyavong, S.
- GUTTERIDGE, D.H. see Wilson, S.W.
- HAGEN, C. see Boesgaard, S.
- HAGUE, W.M., ADAMS, J., ALGAR, V., DRUMMOND, V., SCHWARZ, G., BOTTAZZO, G.-F. & JACOBS, H.S. HLA Associations in patients with polycystic ovaries and in patients with congenital adrenal hyperplasia caused by 21-hydroxylase deficiency, 407
- HALES, C.N. see Temple, R.C.
- HALL, R. see Othman, S.
- HALL, R. see Ratanachaiyavong, S.
- HÄLLGREN, R. see af Ekenstam, E.
- HAMILTON, M.P.R. see Fleming, R.
- HANGAARD, J. see Boesgaard, S.
- HARRIS, A.G. see Shi, Y.F.
- HARRIS, B. see Othman, S.
- HARRIS, P.E., BOULOUX, P.M.G., WASS, J.A.H. & BESSER, G.M. Successful treatment by chemotherapy for acromegaly associated with ectopic growth hormone releasing hormone secretion from a carcinoid tumour, 315
- HATABU, H. see Kasagi, K.
- HENERY, R.J. see McArthur, J.W.
- HIDAKA, A. see Kasagi, K.
- HINDMARSH, P.C., MATTHEWS, D.R., BRAIN, C., PRINGLE, P.J. & BROOK, C.G.D. The application of deconvolution analysis to elucidate the pulsatile nature of growth hormone secretion using a variable half-life of growth hormone, 739
- HINDMARSH, P.C., PRINGLE, P.J., DI SILVIO, L. & BROOK, C.G.D. A preliminary report on the role of somatostatin analogue (SMS 201-995) in the management of children with tall stature, 83
- HINDMARSH, P.C. see Brain, C.E.
- HOLDER, G. see Obhrai, M.
- HOLDER, G. see Horrocks, P.M.
- HOLDER, R. see Horrocks, P.M.
- HOLLY, J.M.P. see Taylor, A.M.
- HOMBURG, R., WEST, C., BROWNELL, J. & JACOBS, H.S. A double-blind study comparing a new non-ergot, long-acting dopamine agonist, CV 205-502, with bromocriptine in women with hyperprolactinaemia, 565
- HOMBURG, R., WEST, C., TORRESANI, T. & JACOBS, H.S. A comparative study of single-dose growth hormone therapy as an adjuvant to gonadotrophin treatment for ovulation induction, 781
- HOP, W.C.J. see Fauser, B.C.J.M.
- HORROCKS, P.M., JONES, A.F., RATCLIFFE, W.A., HOLDER, G., WHITE, A., HOLDER, R., RATCLIFFE, J.G. & LONDON, D.R. Patterns of ACTH and cortisol pulsatility over twenty-four hours in normal males and females, 127
- HORTON, N. see Thompson, D.L.
- HUANG, K.M. see Chang, T.C.
- IGUCHI, H. see Natori, S.
- IIDA, Y. see Kasagi, K.
- IMPERIALE, E. see Ghigo, E.
- INVITTI, C., DE MARTIN, M., BRONANI, A., PIOLINI, M. & CAVAGNINI, F. Treatment of Cushing's

- syndrome with the long-acting somatostatin analogue SMS 201-995 (Sandostatin), 275
- ISLES, C.G. see O'Connell, J.E.
- JACOBS, H.S. see Hague, W.M.
- JACOBS, H.S. see Homburg, R.
- JACKSON, R. see Ohhrai, M.
- JACKSON, R. see Page, S.R.
- JENKINS, J.S. see Page, S.R.
- JENKINS, J.S. see Silverlight, J.J.
- JEWITT, R. see White, M.C.
- JOHN, R. see Othman, S.
- JOHNSON, C.C. see Brunner, J.E.
- JOHNSTON, A.W. see Dean, J.C.S.
- JONES, A.F. see Horrocks, P.M.
- JONES, J. see Eden, J.A.
- KAISE, N. see Fukazawa, H.
- KASAGI, K., TAKEDA, K., GOSHI, K., TAKAMATSU, J., HIDAKA, A., HATABU, H., MISAKI, T., IIDA, Y., KUMA, K. & KONISHI, J. Presence of both stimulating and blocking types of TSH-receptor antibodies in sera from three patients with primary hypothyroidism, 253
- KAUPILLA, A. see Kivelä, A.
- KENDALL-TAYLOR, P. see White, M.C.
- KENT, J.C. see Wilson, S.W.
- KHATIM, M.S. see Abdel Gadir, A.
- KIDDY, D.S., SHARP, P.S., WHITE, D.M., SCANLON, M.F., MASON, H.D., BRAY, C.S., POLSON, D.W., REED, M.J. & FRANKS, S. Differences in clinical and endocrine features between obese and non-obese subjects with polycystic ovary syndrome: an analysis of 263 consecutive cases, 213
- KIRKLAND, M. see McArthur, J.W.
- KIVELÄ, A., KAUPILLA, A., LEPPÄLUOTO, J. & VAKKURI, O. Melatonin in infants and mothers at delivery and in infants during the first week of life, 593
- KLIMA, G. see Eber, O.
- KLOPPER, A.I. see Dean, J.C.S.
- KOISTINEN, R., SUIKKARI, A.-M., TIITINEN, A., KONTULA, K. & SEPPÄLÄ, M. Human granulosa cells contain insulin-like growth factor-binding protein (IGF BP-1) mRNA, 635
- KÖLTRINGER, P.
- KONISHI, J. see Kasagi, K.
- KONTULA, K. see Koistinen, R.
- KOPELMAN, P.G. see Weaver, J.U.
- KUMA, K. see Kasagi, K.
- KWEKKEBOOM, D.J., LAMBERTS, S.W.J., BLOM, J.H.M., SCHROEDER, F.H. & DE JONG, F.H. Prolonged treatment with the GnRH analogue buserelin does not affect α -subunit production by pituitary gonadotroph, 443
- LALA, R. see Ghigo, E.
- LAMBERTS, S.W.J. see Kwekkeboom, D.J.
- LANGSTEGGER, W. see Eber, O.
- LAUGHLIN, G.A. see Rossmanith, W.G.
- LAZARUS, J.H. see Chang, D.C.S.
- LAZARUS, J.H. see Othman, S.
- LAZARUS, J.H. see Phillips, D.I.W.
- LEE, K.-O., CHUA, D.Y.F. & CHEAH, J.-S. Oestrogen and progesterone receptors in men with bilateral or unilateral pubertal macromastia, 101
- LEIVA, L. see Malozowski, S.
- LEPPÄLUOTO, J. see Kivelä, A.
- LEVELL, M.J. see Ayub, M.
- LEVY, A. & LIGHTMAN, S.L. Relationship between somatostatin and growth hormone messenger ribonucleic acid in human pituitary adenomas: an in-situ hybridization histochemistry study, 661
- LIGHTMAN, S.L. see Levy, A.
- LIN, S.L. see Chang, T.C.
- LIND, P. see Eber, O.
- LINDNER, W. see Eber, O.
- LITTLE, M.D., SHALET, S.M., SWINDELL, R., BEARDWELL, C.G. & SUTTON, M.L. Low-dose pituitary irradiation for acromegaly, 261
- LIU, C.H. see Rossmanith, W.G.
- LIVESEY, J.H. see Ellis, M.J.
- LJUNGHALL, S. see af Ekenstam, E.
- LOGUE, F.C., FRASER, W.D., GALLACHER, S.J., CAMERON, D.A., O'REILLY, D. St J., BEASTALL, G.H., PATEL, U. & BOYLE, I.T. The loss of circadian rhythm for intact parathyroid hormone and nephrogenous cyclic AMP in patients with primary hyperparathyroidism, 475
- LONDON, D.R. see Horrocks, P.M.
- LORIAUX, L. see Malozowski, S.
- LOWE, D.G. see Savage, M.O.
- LUISI, M. see Bernini, G.P.
- LYNCH, S.S. see Ohhrai, M.
- MCARTHUR, J.W., GILBERT, I., HENERY, R.J., QUINN, J., PERRY, L., CRAMER, D., KIRKLAND, M., PEDOE, D.S.T., REES, L.H., BESSER, G.M. & TURNBULL, B.A. The effects of submaximal endurance exercise upon LH pulsatility, 115
- MCCARTHY, M.I., NOONAN, K., WASS, J.A.H. & MONSON, J.P. Familial acromegaly: studies in three families, 719
- MCGREGOR, A.M. see Chang, D.C.S.
- MCGREGOR, A.M. see Ratanachaiyavong, S.
- MCINTOSH, J.G.A. see Cooke, R.R.
- MCINTOSH, R.P. see Cooke, R.R.
- MCLELLAN, A.R. see O'Connell, J.E.
- McLACHLAN, R.I., COHEN, N.L., DAHL, K.D., BREMMER, W.J. & SOULES, M.R. Serum inhibin levels during the periovulatory interval in nor-

- mal women: relationships with sex steroid and gonadotrophin levels, 39
- McLAUGHLIN, B., BARRETT, P., FINCH, T. & DEVLIN, J.G. Late onset adrenal hyperplasia in a group of Irish females who presented with hirsutism, irregular menses and/or cystic acne, 57
- McLELLAN, A.R., MOWAT, A., CORDINER, J., BEASTALL, G.H., WALLACE, A.M., CONNELL, J.M.C. & DAVIES, D.L. Hilus cell pathology and hirsutism, 203
- MALOZOWSKI, S., MUZZO, S., BURROWS, R., LEIVA, L., LORIAUX, L., CHROUSOS, G., WINTERER, J. & CASSORLA, F. The hypothalamic-pituitary-adrenal axis in infantile malnutrition, 461
- MASON, H.D. *see* Kiddy, D.S.
- MATHIAS, D. *see* White, M.C.
- MATTHEWS, D.R. *see* Abdel Gadir, A.
- MAZZA, E. *see* Ghigo, E.
- MEHTA, A. *see* Dowsett, M.
- MELLINGER, R.C. *see* Brunner, J.E.
- MESSINIS, I.E. & TEMPLETON, A. Superovulation induction in women suppresses luteinizing hormone secretion at the pituitary level, 107
- MESSINIS, I.E. & TEMPLETON, A.A. Prolactin secretion in women during the oestradiol-induced luteinizing hormone surge with or without progesterone, 755
- MINUTO, F. *see* Barreca, A.
- MIOLA, C. *see* Ciccarelli, E.
- MISAKI, T. *see* Kasagi, K.
- MONSON, J.P. *see* McCarthy, M.I.
- MONTALTO, J., WHORWOOD, C.B., FUNDER, J.W., YONG, A.B.W., CALLAN, A., DAVIES, H.E. & CONNELLY, J.F. Plasma C19 steroid sulphate levels and indices of androgen availability in female pattern androgenic alopecia, 1
- MORANO, M.I., DE ANTUENO, R.J., NIEDFELD, G. & ESTIVARIZ, F.E. Neuroendocrine alterations in nude mice with a human lung carcinoma producing pro-opiomelanocortin, corticotrophin-releasing hormone and arginine vasopressin, 349
- MORRIS, R.W. *see* Würzburger, M.I.
- MORTIMER, R.H., TYACK, S.A., GALLIGAN, J.P., PERRY-KEENE, D.A. & TAN, Y.M. Graves' disease in pregnancy: TSH receptor binding inhibiting immunoglobulins and maternal and neonatal thyroid function, 141
- MORTOLA, J.F. *see* Rossmanith, W.G.
- MOWAFI, R.S. *see* Abdel Gadir, A.
- MOWAT, A. *see* McLellan, A.R.
- MULLER, E.E. *see* Ciccarelli, E.
- MURDOCH, A.P. *see* White, M.C.
- MUZZO, S. *see* Malozowski, S.
- NAGI, D.K. *see* Temple, R.C.
- NAKAO, R. *see* Natori, S.
- NATORI, S., IGUCHI, H., OHASHI, M., NAKAO, R., BLOOM, S.R. & NAWATA, H. Effect of octapeptide somatostatin analogue (SMS 201-995) on plasma 7B2 (a neuroendocrine polypeptide) levels in patients with acromegaly, 49
- NAWATA, H. *see* Natori, S.
- NEWLAND, P. *see* White, M.C.
- NICHOLLS, J., WYNICK, D., DOMIN, J., SANDLER, L.M. & BLOOM, S.R. Pharmacokinetics of the long-acting somatostatin analogue octreotide (SMS 201-995) in acromegaly, 545
- NIEDFELD, G. *see* Morano, M.I.
- NOMURA, T. *see* Fukazawa, H.
- NOONAN, K. *see* McCarthy, M.I.
- NOONAN, K. *see* Weaver, J.U.
- NUSSEY, S.S. *see* Page, S.R.
- OBHRAI, M., LYNCH, S.S., HOLDER, G., JACKSON, R., TANG, L. & BUTT, W.R. Hormonal studies on women with polycystic ovaries diagnosed by ultrasound, 467
- O'CONNELL, J.E., DOMINICZAK, A.F., ISLES, C.G., McLELLAN, A.R., DAVIDSON, G., GRAY, C.E. & CONNELL, J.M.C. A comparison of calcium pentagastrin and TRH tests in screening for medullary carcinoma of the thyroid in MEN IIA, 417
- OHASHI, M. *see* Natori, S.
- O'REILLY, D. St J. *see* Logue, F.C.
- OTHMAN, S., PHILLIPS, D.I.W., PARKES, A.B., RICHARDS, C.J., HARRIS, B., FUNG, H., DARKE, C., JOHN, R., HALL, R. & LAZARUS, J.H. A long-term follow-up of postpartum thyroiditis, 559
- PAGE, S.R., ANG, V.T.Y., JACKSON, R., WHITE, A., NUSSEY, S.S. & JENKINS, J.S. The effect of oxytocin infusion on adenohipophyseal function in man, 307
- PARKES, A.B. *see* Othman, S.
- PATEL, S. *see* Taylor, A.M.
- PATEL, U. *see* Logue, F.C.
- PEDOE, D.S.T. *see* McArthur, J.W.
- PERIC, L.A. *see* Würzburger, M.I.
- PERRY, L. *see* McArthur, J.W.
- PERRY, R. *see* White, M.C.
- PERRY-KEENE, D.A. *see* Mortimer, R.H.
- PETERSON, E.L. *see* Brunner, J.E.
- PETRAGLIA, F. *see* Genazzani, A.D.
- PHILLIPS, D.I.W., LAZARUS, J.H. & BUTLAND, B.K. The influence of pregnancy and reproductive span on the occurrence of autoimmune thyroiditis, 301
- PHILLIPS, D.I.W. *see* Othman, S.
- PIOLINI, M. *see* Invitti, C.
- PIRKE, K-M. *see* Schweiger, U.
- POLSON, D.W. *see* Kiddy, D.S.

- PONTECORVI, A. see Farsetti, A.
 PORTIOLI, I. see Valcavi, R.
 PREECE, M.A. see Taylor, A.M.
 PRELEVIC, G.M. see Würzburger, M.I.
 PRINGLE, P.J. see Hindmarsh, P.C.
 PROCOPIO, M. see Ghigo, E.
 PRYSOR-JONES, R.A. see Silverlight, J.J.
- QUINN, J. see McArthur, J.W.
- RATANACHAIYAVONG, S., GUNN, C.A., BIDWELL, E.A., DARKE, C., HALL, R. & MCGREGOR, A.M.
 DQA2 U Allele: a genetic marker for relapse of Graves' disease, 241
- RATH, M. see Eber, O.
 RATCLIFFE, J.G. see Horrocks, P.M.
 RATCLIFFE, W.A. see Horrocks, P.M.
 REED, M.J. see Kiddy, D.S.
 REES, L.H. see McArthur, J.W.
 RETALLACK, R.W. see Wilson, S.W.
 RICHARDS, A.M. see Schmidli, R.S.
 RICHARDS, C.J. see Othman, S.
 RICHARDSON, P. see Tsatsoulis, A.
 RITTMASER, R.S. see Thompson, D.L.
 ROBERTSON, W.R. see Tsatsoulis, A.
 ROBBARD, D. see Genazzani, A.D.
- ROSSMANITH, W.G., LAUGHLIN, G.A., MORTOLA, J.F. & YEN, S.S.C. Secretory dynamics of oestradiol (E2) and progesterone (P4) during periods of relative pituitary LH quiescence in the mid-luteal phase of the menstrual cycle, 13
- ROSSMANITH, W.G., LIU, C.H., LAUGHLIN, G.A., MORTOLA, J.F., SUH, B.Y. & YEN, S.S.C. Relative changes in LH pulsatility during the menstrual cycle: using data from hypogonadal women as a reference point, 647
- SAITO, S. see Fukazawa, H.
 SAKURADA, T. see Fukazawa, H.
 SANDLER, L.M. see Nicholls, J.
 SAVAGE, M.O. & LOWE, D.G. Gonadal neoplasia and abnormal sexual differentiation, 519
- SCANLON, M.F. see Kiddy, D.S.
 SCANLON, M.F. see Valcavi, R.
 SCHMIDLI, R.S., WILSON, I., ESPINER, E.A., RICHARDS, A.M. & DONALD, R.A. Aminopyridine diphosphonate (APD) in mild primary hyperparathyroidism: effect on clinical status, 293
- SCHMIDLI, R.S. see Ellis, M.J.
 SCHNEIDER, A.E. see Temple, R.C.
 SCHOEMAKER, J. see Stokvis-Brantsma, W.H.
 SCHROEDER, F.H. see Kwekkeboom, D.J.
 SCHWARZ, G. see Hague, W.M.
 SCHWEIGER, U., TUSCHL, R., BROOCKS, A. & PIRKE, K-M. Gonadotrophin secretion in the second half of the menstrual cycle: a comparison of women with normal cycles, luteal phase defects and disturbed follicular development, 25
- SEPPÄLÄ, M. see Koistinen, R.
 SHALET, S.M. see Littley, M.D.
 SHALET, S.M. see Tsatsoulis, A.
 SHARP, P.S. see Kiddy, D.S.
 SHAW, R.W. see Abdel Gadir, A.
 SHEDDEN, E.J. see Chang, D.C.S.
 SHERIDAN, B. see Whitehead, H.M.
- SHI, Y.F., HARRIS, A.G., ZHU, X.F. & DENG, J.Y.
 Clinical and biochemical effects of incremental doses of the long-acting somatostatin analogue SMS 201-995 in ten acromegalic patients, 695
- SILVERLIGHT, J.J., PRYSOR-JONES, R.A. & JENKINS, J.S. Basic fibroblast growth factor in human pituitary tumours, 669
- SMALL, M., BUCHANAN, L. & EVANS, R. Value of screening thyroid function in acute medical admissions to hospital, 185
- SMITH, C.P. see Taylor, A.M.
 SÖNKSEN, P.H. see Benn, J.J.
 SÖNKSEN, P.H. see Würzburger, M.I.
 SOULES, M.R. see McLachlan, R.I.
 STEIN, R.C. see Dowsett, M.
- STOKVIS-BRANTSMA, W.H., VAN WISSENBRUCH, M.M., WIT, J.M., SCHOEMAKER, J. & DREXHAGE, H.A. Sexual precocity induced by ovarian follicular cysts. Is autoimmunity involved? 603
- STRACHAN, T. Molecular pathology of congenital adrenal hyperplasia, 373
- STRAUCH, G. see Dorey, F.
 SUH, B.Y. see Rossmanith, W.G.
 SUKKARI, A.-M. see Koistinen, R.
 SUTTON, M.L. see Littley, M.D.
 SWINDELL, R. see Littley, M.D.
- TAKAMATSU, J. see Kasagi, K.
 TAKASE, S. see Fukazawa, H.
 TAKEDA, K. see Kasagi, K.
 TAN, Y.M. see Mortimer, R.H.
 TANG, L. see Ohhrai, M.
 TATE, V.E. see Taylor, A.M.
- TAYLOR, A.M., DUNGER, D.B., PREECE, M.A., HOLLY, J.M.P., SMITH, C.P., WASS, J.A.H., PATEL, S. & TATE, V.E. The growth hormone independent insulin-like growth factor-I binding protein BP-28 is associated with serum insulin-like growth factor-I inhibitory bioactivity in adolescent insulin-dependent diabetics, 229
- TEMPLE, R.C., CLARK, P.M.S., NAGI, D.K., SCHNEIDER, A.E., YUDKIN, J.S. & HALES, C.N. Radioimmunoassay may overestimate insulin in non-insulin-dependent diabetics, 689
- TEMPLETON, A. see Messinis, I.E.

- THOMPSON, C.J. see White, M.C.
- THOMPSON, D.L., HORTON, N. & RITTMASER, R.S.
Androsterone glucuronide is a marker of adrenal hyperandrogenism in hirsute women, 283
- TIITINEN, A. see Koistinen, R.
- TILL, S. see Würzburger, M.I.
- TORRESANI, T. see Homburg, R.
- TSATSOUKIS, A., SHALET, S.M., RICHARDSON, P. & ROBERTSON, W.R. Testosterone reduces the bioactivity of luteinizing hormone (LH) in man, 73
- TURNBULL, B.A. see McArthur, J.W.
- TUSCHL, R. see Schweiger, U.
- TYACK, S.A. see Mortimer, R.H.
- VAKKURI, O. see Kivela, A.
- VALCAVI, R., ZINI, M., DIEGUEZ, C., PORTIOLI, I. & SCANLON, M.F. Effect of oral glucose on the late growth hormone rise and growth hormone responses to GHRH in normal subjects, 539
- VALENTE, F. see Ghigo, E.
- VAN DER WERFF TEN BOSCH, J.J. & BOT, A. Growth of males with idiopathic hypopituitarism without growth hormone treatment, 707
- VAN WEISENBRUCH, M.M. see Stokvis-Brantsma, W.H.
- VIVALDI, M.S. see Bernini, G.P.
- VOLPE, A. see Barreca, A.
- WALLACE, A.M. see McLellan, A.R.
- WASS, J.A. see McCarthy, M.I.
- WASS, J.A. see Foot, A.B.M.
- WASS, J.A. see Taylor, A.M.
- WASS, J.A.H. see Harris, P.E.
- WEAVER, J.U., NOONAN, K., KOPELMAN, P.G. & COSTE, M. Impaired prolactin secretion and body fat distribution in obesity, 641
- WEST, C. see Homburg, R.
- WHEELER, M.H. see Chang, D.C.S.
- WHITE, A. see Page, S.R.
- WHITE, D.M. see Kiddy, D.S.
- WHITE, M.C., DANIELS, M., NEWLAND, P., THOMPSON, C.J., COOK, D., DEWAR, J., PERRY, R., JEWITT, R., MATHIAS, D., MURDOCH, A.P. & KENDALL-TAYLOR, P. LH and FSH secretion and responses to GnRH and TRH in patients with clinically functionless pituitary adenomas, 681
- WHITEHEAD, H.M., BEACOM, D.R., SHERIDAN, B. & ATKINSON, A.B. The effect of cyproheptadine and/or bromocriptine on plasma ACTH levels in patients cured of Cushing's disease by bilateral adrenalectomy, 193
- WHORWOOD, C.B. see Montalto, J.
- WIDE, L. see af Ekenstam, E.
- WILSON, I. see Schmidli, R.S.
- WILSON, S.W., RETALLACK, R.W., KENT, J.C., WORTH, G.K. & GUTTERIDGE, D.H. Serum free 1,25-dihydroxyvitamin D and the free 1,25-dihydroxyvitamin D index during a longitudinal study of human pregnancy and lactation, 613
- WINTERER, J. see Malozowski, S.
- WIT, J.M. see Stokvis-Brantsma, W.H.
- WOODCOCK, J.P. see Chang, D.C.S.
- WORTH, G.K. see Wilson, S.W.
- WÜRZBURGER, M.I., PRELEVIC, G.M., SÖNKSEN, P.H., PERIC, L.A., TILL, S. & MORRIS, R.W. The effects of improved blood glucose on growth hormone and cortisol secretion in insulin-dependent diabetes mellitus, 787
- WYNICK, D. see Montalto, J.
- YAMAMOTO, M. see Fukazawa, H.
- YEN, S.S.C. see Rossmann, W.G.
- YONG, A.B.W. see Montalto, J.
- YOSHIDA, K. see Fukazawa, H.
- YOSHINAGA, K. see Fukazawa, H.
- YUDKIN, J.S. see Temple, R.C.
- ZAFAR, S. see Brunner, J.E.
- ZHU, X.F. see Shi, Y.F.
- ZINI, M. see Valcavi, R.

Subject index to Volume 32

- α -subunit
 - production by pituitary gonadotroph, not affected by buserelin, 443
- Acromegaly
 - effect of somatostatin analogue on neuroendocrine polypeptide levels in, 49
 - colon cancer and polyps; risk with family history, 65
 - low-dose pituitary irradiation for, 261
 - with ectopic GHRH secretion, treatment with nitrosoourea (CCNU), 315
 - pharmacokinetics of octreotide in, 545
 - effects of somatostatin analogue SMS 201-995, 695
 - familial, 719
- ACTH
 - and cortisol pulsatility, 127
- Adenohypophyseal function
 - in man, effect of oxytocin, 307
- Adenectomy
 - follow-up in prolactinoma
- Adrenal hyperplasia
 - in females with hirsutism, irregular menses and/or acne, 57
 - congenital, molecular pathology (Review), 373
- Alopecia
 - androgenic, female, and C19 steroid levels, 1
- Aminopropylidene diphosphonate
 - in primary hyperparathyroidism, 293
- Androsterone glucuronide
 - marker of adrenal hyperandrogenism in women, 283
- Arginine
 - potentiates GHRH- but not pyridostigmine-induced GH in short children; a somatostatin suppressing effect, 763
- Atrial natriuretic peptide
 - release during saline infusion, and posture, 491
- Autoimmune thyroiditis
 - influence of pregnancy and reproductive span, 301
- AVP
 - and CRF responses to hypoglycaemia in men, 93
- Bisphosphonates
 - in Paget's disease of bone (Current Therapy), 507
- Bone
 - Paget's disease (Current Therapy), 507
- Breast cancer
 - aromatase inhibitor in, 623
- Bromocriptine
 - and/or cyproheptadine, effect on ACTH levels in cure of Cushing's disease by adrenalectomy, 193
 - compared with CV 205-502 in hyperprolactinaemia, 565
- Buserelin
 - not affect α -subunit production by pituitary gonadotroph, 443
- Calcitonin
 - in Paget's disease of bone (Current Therapy), 507
- cAMP
 - loss of circadian rhythm in for hyperparathyroidism, 475
- CCNU (nitrosoourea)
 - for acromegaly with ectopic GHRH secretion, 315
- C19 steroid
 - in female androgenic alopecia, 1
- Children
 - somatostatin analogue and management of tall, 83
 - oestrogen and progesterone receptors in men with pubertal macromastia, 101
 - GHRH₍₁₋₂₉₎ NH₂ and growth, 153
 - HPA axis in infantile malnutrition, 461
 - melatonin in infants and mothers, 593
 - sexual precocity, ovarian cysts and autoimmunity, 603
 - growth in idiopathic hypopituitarism in males without GH treatment, 707
 - arginine and GH secretion in short children; somatostatin suppressing effect, 763
- Circadian rhythm
 - loss of for PTH and nephrogenous cAMP in hyperparathyroidism, 475
- Colon
 - cancer and polyps in acromegaly: risk with family history, 65
- Computer tomography
 - and antibodies in Graves' disease, 551
- Congenital adrenal hyperplasia
 - molecular pathology (Review), 373
 - caused by 21-hydroxylase deficiency, and HLA, 407
- Cortisol
 - and ACTH pulsatility, 127

- secretion in insulin-dependent diabetes, effect of glucose, 787
- CPG
screening for MTC in MENIIA, 417
- CRF
and AVP responses to hypoglycaemia in men, 93
- Cushing's disease
effect on ACTH levels of cyproheptadine and/or bromocriptine following adrenalectomy, 193
treatment with somatostatin analogue, 275
- Cyproheptadine
and/or bromocriptine, effect on ACTH levels in cure of Cushing's disease by adrenalectomy, 193
- Deconvolution analysis
of pulsatile GH secretion, 739
- Diabetes, insulin-dependent
response of GHRH and somatostatin to a meal in, 177
GH independent IGF-I BP-28 associated with serum IGF-I inhibitory bioactivity in, 229
effect of glucose on GH and cortisol secretion, 787
effect of glucose on insulin-induced hypoglycaemia, TRH, GnRH and exercise, 799
- Diabetes, non-insulin dependent
radioimmunoassay of insulin in, 689
- Dopamine
and dopamine D-1 receptor agonist, effect on TSH in women, 423
- DQA2 U allele
genetic marker for relapse of Graves' disease, 241
- Exercise
effect on LH pulsatility, 115
effect of glucose in insulin-dependent diabetes, 799
- Fibroblast growth factor
in pituitary tumours, 669
- Fluorometric analysis
of lymphocytes in thyroid aspirates with functioning nodule, 729
- Follicular fluid
composition in PCO, and normal, 395
IGF-I and IGF-IBP in, in GH treated patients, 497
- FSH
bioactive and immunoreactive in oligospermic men, 433
and LH response to GnRH and TRH in pituitary adenoma, 681
- Genetics
DQA2 U allele marker for relapse in Graves' disease, 241
hypogonadotrophic hypogonadism with auto-somal dominant inheritance, 341
no linkage between HLA and PCO, 407
of gonadal dysgenesis, 519
familial acromegaly, 719
- GH
impaired response in IHH in obese patients, and serotonergic system, 453
response to GHRH, effect of glucose, 539
mRNA, relation with somatostatin in pituitary adenomas, 661
pulsatile secretion, deconvolution analysis, 739
adjuvant to gonadotrophin in ovulation, 781
secretion in insulin-dependent diabetes, effect of glucose, 787
- GH independent IGF-I BP28
associated with serum IGF-I inhibitory bioactivity in insulin-dependent diabetes, 229
- GHRH
response to meal in insulin-dependent diabetes mellitus, 177
ectopic secretion with acromegaly, CCNU (nitrosourea) treatment, 315
and GH, effect of glucose, 539
- GHRH₍₁₋₂₉₎ NH₂
and growth in children, 153
- Glucose
effect on GH response to GHRH, 539
effect on GH and cortisol secretion in insulin-dependent diabetes, 787
- GnRH
secretion in normal cycles, luteal phase defects and disturbed follicular development, 25
- GnRH analogue
in prostatic cancer and suppression of androgens by flutamide, 329
buserelin, not affect α -subunit production by pituitary gonadotroph, 443
- Gonadal neoplasia
and abnormal sexual differentiation (Review), 519
- Gonadotrophin
ovarian sensitivity in PCO and LH suppression, 33
and GH adjuvant in ovulation, 781
- Granulosa cells
contain IGF BP-I mRNA, 635
- Graves' disease
in pregnancy, 141
DQA2 U allele a genetic marker for relapse in, 241
orbital computed tomography and antibodies in, 551
hypothyroidism and bloodflow following radioactive iodine, 599
- Haemangiopericytoma
insulin-like factor causing hypoglycaemia in, 769

- Hashimoto's thyroiditis
influence of pregnancy and reproductive span, 301
- Hermaphroditism
and gonadal neoplasia (Review), 519
- Hilus cell
pathology and hirsutism, 203
- Hirsutism
and hilus cell pathology, 203
androsterone glucuronide marker of adrenal hyperandrogenism in, 283
- HLA
with PCO, and CAH caused by 21-hydroxylase deficiency, 407
- HPA axis
in infantile malnutrition, 461
- 21-Hydroxylase
deficiency, CAH caused by, and association with HLA, 407
- Hyperandrogenism
adrenal in hirsute women, androsterone glucuronide marker, 283
- Hypercalcaemia
in primary hyperparathyroidism, and aminopyridine diphosphonate, 293
- Hyperparathyroidism
primary, aminopyridine diphosphonate in, 293
primary, loss of circadian rhythm for PTH and cAMP in, 475
- Hyperprolactinaemia
comparison of CV 205-502 and bromocriptine in, 565
- Hypoglycaemia
effect of insulin-like factor in haemangiopericytoma, 769
insulin-induced, effect of glucose in insulin-dependent diabetes, 799
- Hypogonadotrophic hypogonadism
autosomal inheritance, 341
- Hypopituitarism
growth of males without GH treatment, 707
- Hypothyroidism
T4 and T3 therapy, 135
stimulating and blocking TSH-receptor antibodies in, 253
treatment with D- vs L-propranolol, 363
- IGF-I and IGF-I BP
in follicular fluid of GH treated patients, 497
mRNA in granulosa cells, 635
- Immunoglobulins
thyroid function, and Graves's disease in pregnancy, 141
- Infantile malnutrition
HPA axis in, 461
- Inflammatory activity
in rheumatoid arthritis: impaired parathyroid hormone secretion, 323
- Inhibin
during periovulatory interval: relation with sex steroid and gonadotrophin, 39
- Insulin
radioimmunoassay in non-insulin-dependent diabetics, 689
- Insulin-induced hypoglycaemia
in obese patients, impaired GH response and serotonergic system, 453
- Insulin-like factor
metabolic effects causing hypoglycaemia in haemangiopericytoma, 769
see also IGF
- LH
quiescence, E2 and P4 during menstrual cycle, 13
suppression and ovarian sensitivity to gonadotrophins in PCO, 33
activity in man reduced by testosterone, 73
suppressed at pituitary level by superovulation, 107
pulsatility, effect of exercise on, 115
estimation of secretory rate in men and menstruating women, 573
in menstrual cycle, hypogonadal women as reference, 647
and FSH response to GnRH and TRH in pituitary adenoma, 681
surge, E2-induced, and prolactin secretion in women, 755
- Macromastia
oestrogen and progesterone receptors in men with, 101
- Malnutrition
infantile, HPA axis in, 461
- Melatonin
in infants and mothers, 593
- Men
testosterone reduces activity of LH in, 73
CRF and AVP responses to hypoglycaemia in, 93
serum testosterone forms in after hCG, 165
effect of oxytocin on adenohipophyseal function in, 307
prostatic cancer treatment with GnRH and suppression of androgens by flutamide, 329
oligospermic, bioactive and immunoreactive FSH in, 433
LH secretory rate in, 573
growth with idiopathic hypopituitarism, without GH treatment, 707
- MENIIA
calcium pentagastrin and TRH screening for MTC, 417

- Myotonic dystrophy
thyroid function in, 485
- Neuroendocrine alterations
with carcinoma producing POMC, CRH and AVP, 349
- Nitrosourea (CCNU)
treatment of acromegaly with ectopic GHRH secretion, 315
- Obesity
impaired GH response to IHH in, and serotonin-ergic system, 453
prolactin secretion in, 641
- Octreotide
pharmacokinetics in acromegaly, 545
- Oestradiol
and P4 during LH quiescence in menstrual cycle, 13
induced LH surge in women, prolactin secretion, 755
- Oestrogen receptors
and progesterone receptors in men with pubertal macromastia, 101
- Oligospermia
bioactive and immunoreactive FSH in, 433
- Ovarian cysts
sexual precocity, and autoimmunity, 603
- Ovarian electrocautery
hormonal changes in PCO after, 749
- Ovulation
GH as adjuvant to gonadotrophin, 781
- Oxytocin
effect on adenohipophyseal function in man, 307
- Paget's disease
of bone (Current Therapy), 507
- Parathyroid hormone
impaired secretion with rheumatoid arthritis: inflammatory activity, 323
loss of circadian rhythm for, in hyperparathyroidism, 475
- PCO
ovarian sensitivity to gonadotrophins and LH suppression in, 33
clinical and endocrine features in obese and non-obese, follicular fluid composition, 395
and human leucocyte antigens, 407
diagnosed by ultrasound, hormonal studies, 467
hormonal changes after electrocautery or pituitary desensitization, 749
- Pituitary
somatostatin and GH mRNA relationship in adenoma, 661
tumour, basic fibroblast growth factor in, 669
adenoma, LH and FSH response to GnRH and TRH, 681
desensitization in PCO, hormonal changes after, 749
- Progesterone
and E2 during LH quiescence in menstrual cycle, 13
and prolactin secretion in E2-induced LH surge, 755
- Progesterone receptors
and oestrogen receptors in men with pubertal macromastia, 101
- Prolactin
secretion, impaired in obesity, 641
secretion in E2-induced LH surge, 755
- Prolactinoma
follow-up after adenomectomy, 583
- Propranolol
D- vs L in treatment of hyperthyroidism, 363
- Prostatic cancer
treated with GnRH analogue and suppression of androgens by flutamide, 329
- Radioimmunoassay
of insulin in non-insulin-dependent diabetics, 689
- Rheumatoid arthritis
impaired secretion of parathyroid in: inflammatory activity, 323
- Saline infusion
posture and atrial natriuretic peptide release, 491
- Serotonineric system
and impaired GH response in IHH, 453
- Sexual differentiation
abnormal, and gonadal neoplasia (Review), 519
- Somatostatin
response to meal in insulin-dependent diabetes mellitus, 177
and GH mRNA in pituitary adenomas: in-situ hybridization histochemistry, 661
suppression by arginine in children, 763
- Somatostatin analogue
effect on plasma neuroendocrine polypeptide in acromegaly, 49
in management of tall children, 83
treatment of Cushing's syndrome, 275
pharmacokinetics of octreotide in acromegaly, 545
SMS 201-995 in acromegaly, 695
- Superovulation
suppresses LH at the pituitary level, 107
- Testosterone
reduces activity of LH in man, 73
serum forms in men after hCG, 165

- Thyroid
 screening for medullary carcinoma in MENIIA, 417
 blood flow in Graves' hyperthyroidism following radioactive iodine, 599
- Thyroid function
 and Graves' disease in pregnancy, 141
 screening in acute admissions, 185
 in myotonic dystrophy, 485
 Graves' hyperthyroidism and blood flow following radioactive iodine, 599
 analysis of lymphocytes in aspirates with functioning nodule, 729
- Thyroiditis
 autoimmune, influence of pregnancy and reproductive span, 301
 postpartum, 559
- Thyrotoxicosis
 due to pituitary resistance to thyroid hormones: control with D-thyroxine, 221
- D-Thyroxine
 treatment of thyrotoxicosis, 221
- TRH
 screening for MTC in MENIIA, 417
 effect of glucose in insulin-dependent diabetes, 799
- TSH
 secretion in women, effect of dopamine and dopamine D-1 receptor agonist, 423
- TSH-receptor antibodies
 stimulating and blocking in primary hypothyroidism, 253
- Vitamin D
 in pregnancy and lactation, 613
- Women
 C19 steroid levels and androgenic alopecia, 1
 E2 and P4 during LH quiescence in menstrual cycle, 13
 GnRH secretion in normal cycles, luteal phase defects and disturbed follicular development, 25
 PCO, ovarian sensitivity to gonadotrophins and LH suppression, 33
 inhibin: relation with sex steroids and gonadotrophin during periovulatory interval, 39
 adrenal hyperplasia with hirsutism, 57
 superovulation suppresses LH at the pituitary level, 107
 effect of exercise on LH pulsatility, 115
 Graves' disease in pregnancy, 141
 hilus cell pathology and hirsutism, 203
 clinical and endocrine features in obese and non-obese PCO, 213
 androsterone glucuronide marker of adrenal hyperandrogenism in, 283
 influence of pregnancy and reproductive span on autoimmune thyroiditis, 301
 composition of follicular fluid in PCO, and normal, 395
 HLA association with PCO and CAH caused by 21-hydroxylase deficiency, 407
 effect of dopamine and dopamine D-1 receptor agonist on TSH in, 423
 with PCO diagnosed by ultrasound, hormonal studies, 467
 IGF-I and IGF-I BP in follicular fluid of GH treated, 497
 postpartum thyroiditis, 559
 comparison of CV 205-502 with bromocriptine in hyperprolactinaemia, 565
 LH secretory rate in menstrual cycle, 573
 melatonin in infants and mothers, 593
 sexual precocity, ovarian cysts and autoimmunity, 603
 vitamin D in pregnancy and lactation, 613
 aromatase inhibitor in breast cancer, 623
 LH pulsatility in menstrual cycle, hypogonadal women as reference, 647
 hormonal changes in PCO after electrocautery or pituitary desensitization, 749
 prolactin secretion in during E2-induced LH surge, 755
 GH as adjuvant to gonadotrophin in ovulation, 781

